


CANADIAN JOURNAL OF CIVIL ENGINEERING/REVUE CANADIENNE DE  
GENIE CIVIL  
VOLUME 3, 1976  
AUTHOR INDEX/REPertoire DES AUTEURS

---

- Abdelnour, R. *See* Michel, B.  
Adamowski, K. *See* Draper, D. W.  
Adams, P. F. *See* Beaulieu, D.  
Adams, P. F. *See* Nixon, D.  
Allen, D. E. and Rainer, J. H. Vibration criteria for long-span floors, 165.  
Ayers, H. D. *See* Chisholm, P. S.  
Badawy, H. *See* Sargious, M.  
Bakht, B. and Holland, D. A. A manual method for the elastic analysis of wide cantilever slabs of linearly varying thickness, 523.  
Barrett, J. D. *See* Foschi, R. O.  
Bateman, L. A. The Nelson River—an energy source, 437.  
Beaulieu, D., Perlynn, M., Dunbar, A., Adams, P. F., and Kelker, D. The effects of column out-of-plumbs on the stability of core-braced buildings, 417.  
Bergmann, R. *See* Tso, W. K.  
Brun, P. *See* Picard, A.  
Cameron, N. *See* Morrall, J. F.  
Chen, W. F. *See* Ross, D. A.  
Chisholm, P. S., Ayers, H. D., Dickinson, W. T., and Macnab, I. D. Effects of altering streambed material size on a specific measure of biological diversity, 563.  
Constable, T. W., Kouwen, N., and Solomon, S. I. A square grid model for assessing the effect of alternative land uses on water quality, 209.  
Cowley, J. E. Quantitative application of ice climate data to winter navigation studies, 229.  
Curran, J. H. and Wright, P. M. Toward automated elastic design of skeletal structures using computer graphics, 279.  
Delarue, R. *See* Lemieux, P. F.  
Dickinson, W. T. *See* Chisholm, P. S.  
Draper, D. W. and Adamowski, K. Application of linear programming optimization to a northern Ontario hydro power system, 20.  
Dunbar, A. *See* Beaulieu, D.  
El-Ghazzi, M. N., Robinson, H., and Elkholy, I. A. S. Longitudinal shear capacity of the slabs of composite beams, 514.  
Elkholy, I. A. S. *See* El-Ghazzi, M. N.  
Emery, J. J. *See* Nair, G. P.  
Emery, J. J. and Thompson, C. D. Seismic design considerations for gravity retaining structures, 248.  
Ferahian, R. H. Dynamic evaluation of overturning moment reduction factor used in static seismic loading: Discussion, 476.  
Firth, M. and Williams, W. M. Notch toughness as a criterion of material quality, 294.  
Foschi, R. O. and Barrett, J. D. Longitudinal shear strength of Douglas-fir, 198.  
Frederking, R. M. W. and Gold, L. W. The bearing capacity of ice covers under static loads, 288.  
Frye, M. J. and Morris, G. A. Analysis of flexibly connected steel frames: Reply, 352.  
Ghosh, R. S. Proportioning of concrete mixes incorporating fly ash, 68.  
Giroux, Y.-M. *See* Picard, A.  
Gold, L. W. *See* Frederking, R. M. W.  
Guru, B. P. *See* Tso, W. K.  
Harmathy, T. Z. Creep deflection of metal beams in transient heating processes, with particular reference to fire, 219.  
Heidebrecht, A. C. Dynamic evaluation of overturning moment reduction factor used in static seismic loading: Reply, 477.  
Holland, A. D. *See* Bakht, B.  
Huizer, A. An evaluation of compression prism, shear bond, and bending bond control tests for clay brick masonry, 402.  
Kelker, D. *See* Beaulieu, D.  
Knoll, F. Structural design concepts for the Canadian National Tower, Toronto, Canada: Discussion, 163.

- Knoll, F.** Commentary on the basic philosophy and recent development of safety margins, 409.
- Kobelak, A.** *See* Thompson, G. A.
- Kouwen, N.** *See* Constable, T. W.
- Kung, T.** *See* Penel, J.
- Langan, B. W. and Ward, M. A.** A laboratory investigation for potential durability of ready-mixed concrete retempered for air content and workability, 570.
- Lemieux, P. F., Zech, Y., and Delarue, R.** Design of a stormwater sewer by nonlinear programming—1, 83.
- Logan, L. A.** A computer-aided snowmelt model for augmenting winter streamflow simulation in a southern Ontario drainage basin, 531.
- MacGregor, J. G.** Safety and limit states design for reinforced concrete, 484.
- Macnab, I. D.** *See* Chisholm, P. S.
- Maitland, S. T.** *See* Nisbet, E. G.
- Malhotra, V.** Is high-alumina cement a satisfactory structural material?: Discussion, 474.
- Marche, C. et Robillard, L.** Etude comparative de deux modèles mathématiques dans l'analyse de rejets thermiques à Gentilly, 119.
- Martinez y Rodriguez, J. B. and Russell, S. O.** Sequencing techniques for project screening, 90.
- McCorquodale, J. A.** *See* Nasser, M. S.
- Michel, B. et Abdelnour, R.** Stabilité hydro-mécanique d'un couvert de glace encore solide, 1.
- Morrall, J. F., Cameron, N., and Werner, A.** Determining the capacity of the Canadian trans-mountain highway system, 355.
- Morris, G. A.** *See* Frye, M. J.
- Murray, D. G.** *See* Smith, C. D.
- Muzik, I.** Determination of design hydrographs on small catchments by the state variable model, 239.
- Nair, G. P. and Emery, J. J.** Spatial variations in seismic motions, 32.
- Nasser, M. S. and McCorquodale, J. A.** Analysis of wave action in permeable structures, 98.
- Neill, C. R.** Dynamic ice forces on piers and piles, 305.
- Neill, C. R.** Erratum: Dynamic ice forces on piers and piles. An assessment of design guidelines in the light of recent research, 478.
- Neville, A. M.** Is high-alumina cement a satisfactory structural material?: Reply, 476.
- Neville, A. M.** Erratum: Is high-alumina cement a satisfactory structural material?, 478.
- Nisbet, E. G. and Maitland, S. T.** Mass concrete sections and the maturity concept, 47.
- Nixon, D. and Adams, P. F.** Analysis of flexibly connected steel frames: Discussion, 349.
- Ouellet, Y.** Etude hydraulique d'un type particulier d'ouvrage d'évacuation de crues, 265.
- Ouellet, Y.** Etude comparative de différents types d'ouvrages pour lutter contre l'agitation dans une rade portuaire, 379.
- Palmer, M. D.** Measurements of coastal dispersion in Ontario lakes, 156.
- Penel, J. and Kung, T.** Peak runoff simulation in a subarctic region, 555.
- Penzien, J.** Predicting the performance of structures in regions of high seismicity, 138.
- Perlynn, M.** *See* Beaulieu, D.
- Picard, A. and Giroux, Y.-M.** Moment connections between wide flange beams and square tubular columns, 174.
- Picard, A., Giroux, Y.-M., and Brun, P.** Analysis of flexibly connected steel frames: Discussion, 350.
- Pipes, A.** *See* Quick, M. C.
- Quick, M. C. and Pipes, A.** A combined snowmelt and rainfall runoff model, 449.
- Rainer, J. H.** *See* Allen, D. E.
- Robillard, L.** *See* Marche, C.
- Robinson, H.** *See* El-Ghazzi, M. N.
- Ross, D. A. and Chen, W. F.** Design criteria for steel I columns under axial and biaxial bending, 466.
- Russell, S. O.** *See* Martinez y Rodriguez, J. B.
- Salinas, J. J.** *See* Sargious, M. A.
- Sargious, M. A. and Salinas, J. J.** Selection of optimal policies for airport projects, 428.
- Sargious, M. and Badawy, H.** Mathematical modelling for optimizing bridge costs, 461.
- Sharma, S. C.** *See* Soliman, A. H.
- Simmonds, S. H.** Structural design by computer: Book Review, 578.
- Smith, C. D. and Murray, D. G.** Erratum: Cobble lined drop structures, 353.
- Soliman, A. H. and Sharma, S. C.** Impact of land use changes on transportation networks, 372.
- Solomon, S. I.** *See* Constable, T. W.
- Tadros, M. K.** Design charts for reinforced concrete L-sections, 479.
- Thompson, C. D.** *See* Emery, J. J.
- Thompson, G. A. and Kobelak, A.** The Highway 8 review: A systems analysis and corridor evaluation study, 58.
- Tso, W. K. and Bergmann, R.** Dynamic analysis of an unsymmetrical high rise building, 107.

- Tso, W. K. and Guru, B. P.** A statistical study on artificially generated earthquake records, 11.  
**Vinnakota, S.** Influence of imperfections on the maximum strength of biaxially bent columns, 186.  
**Waller, D. H.** Problems and possibilities in urban drainage, 392.  
**Ward, M. A.** *See* Langan, B. W.  
**Ward, P. R. B.** Seasonal salinity changes in the Fraser River Estuary, 342.  
**Weaver, D. S.** On flow induced vibrations in hydraulic structures and their alleviation, 126.  
**Werner, A.** *See* Morrall, J. F.  
**Williams, W. M.** *See* Firth, M.  
**Wright, P. M.** *See* Curran, J. H.  
**Zech, Y.** *See* Lemieux, P. F.



# Canadian Journal of Civil Engineering    Revue canadienne de génie civil

Volume 3 • 1976

Editor A. G. DAVENPORT    Directeur scientifique

Assistant to the Editor K. C. KLASSEN    Adjointe au directeur scientifique

## Associate Editors/Directeurs scientifiques associés

P. ADAMS	G. HEINKE	C. R. NEILL
C. H. ATKINSON	B. MADSEN	D. L. TOWNSEND
R. A. DORTON	V. M. MALHOTRA	E. R. WILSON
Y.-M. GIROUX	J. METCALFE	

PUBLISHING DEPARTMENT at the National Research Council of Canada	SERVICE DE PUBLICATION du Conseil national de recherches du Canada
---	---

Editor-in-chief C. T. BISHOP    Directeur général

Assistant Editor-in-chief P. A. REDHEAD    Directeur général adjoint

Manager H. WILLIAMSON    Directeur administratif


Publishing Supervisor S. E. JENNESS    Préposé de la publication

Senior Publication Officer F. M. KAVCIC    Agent supérieur à la publication

Publication Officer M. W. KENNEDY    Agent à la publication

Published by the  
National Research Council  
of Canada

Publiée par le  
Conseil national de recherches  
du Canada



# CONTENTS / SOMMAIRE

## MARCH/MARS

### ARTICLES:

- B. Michel et R. Abelnour** Stabilité hydro-mécanique d'un couvert de glace encore solide 1  
**W. K. Tso and B. P. Guru** A statistical study on artificially generated earthquake records 11  
**D. W. Draper and K. Adamowski** Application of linear programming optimization to a northern Ontario hydro power system 20  
**G. P. Nair and J. J. Emery** Spatial variations in seismic motions 32  
**E. G. Nisbet and S. T. Maitland** Mass concrete sections and the maturity concept 47  
**G. A. Thompson and A. Kobalak** The Highway 8 review: A systems analysis and corridor evaluation study 58  
**Ram S. Ghosh** Proportioning of concrete mixes incorporating fly ash 68  
**P. F. Lemieux, Y. Zech, and R. Delarue** Design of a stormwater sewer by nonlinear programming—I 83  
**José B. Martínez y Rodríguez and S. O. Russell** Sequencing techniques for project screening 90  
**M. S. Nasser and J. A. McCorquodale** Analysis of wave action in permeable structures 98  
**W. K. Tso and R. Bergmann** Dynamic analysis of an unsymmetrical high rise building 107  
**Claude Marche et Luc Robillard** Etude comparative de deux modèles mathématiques dans l'analyse de rejets thermiques à Gentilly 119  
**D. S. Weaver** On flow induced vibrations in hydraulic structures and their alleviation 126  
**Joseph Penzien** Predicting the performance of structures in regions of high seismicity 138

### NOTE:

- Merv. D. Palmer** Measurements of coastal dispersion in Ontario lakes 156

### DISCUSSION:

- Franz Knoll** Structural design concepts for the Canadian National Tower, Toronto, Canada: Discussion 163

## JUNE/JUIN

### ARTICLES:

- D. E. Allen and J. H. Rainer** Vibration criteria for long-span floors 165  
**A. Picard and Y.-M. Giroux** Moment connections between wide flange beams and square tubular columns 174  
**Sriramulu Vinnakota** Influence of imperfections on the maximum strength of biaxially bent columns 186  
**Ricardo O. Foschi and J. D. Barrett** Longitudinal shear strength of Douglas-fir 198  
**Thomas W. Constable, Nicholas Kouwen, and Shully I. Solomon** A square grid model for assessing the effect of alternative land uses on water quality 209  
**T. Z. Harmathy** Creep deflection of metal beams in transient heating processes, with particular reference to fire 219  
**J. E. Cowley** Quantitative application of ice climate data to winter navigation studies 229  
**Ivan Muzik** Determination of design hydrographs on small catchments by the state variable model 239  
**J. J. Emery and C. D. Thompson** Seismic design considerations for gravity retaining structures 248  
**Yvon Ouellet** Etude hydraulique d'un type particulier d'ouvrage d'évacuation de crues 265  
**John H. Curran and Peter M. Wright** Toward automated elastic design of skeletal structures using computer graphics 279  
**R. M. W. Frederking and L. W. Gold** The bearing capacity of ice covers under static loads 288  
**M. Firth and W. M. Williams** Notch toughness as a criterion of material quality 294  
**Charles R. Neill** Dynamic ice forces on piers and piles 305

### NOTE:

- Peter R. B. Ward** Seasonal salinity changes in the Fraser River Estuary 342

### DISCUSSIONS:

- Don Nixon and Peter F. Adams** Analysis of flexibly connected steel frames: Discussion 349  
**A. Picard, Y.-M. Giroux, and P. Brun** Analysis of flexibly connected steel frames: Discussion 350  
**M. John Frye and Glenn A. Morris** Analysis of flexibly connected steel frames: Reply 352

### ERRATUM:

- C. D. Smith and D. G. Murray** Erratum: Cobble lined drop structures 353

SEPTEMBER/SEPTEMBRE

ARTICLES:

- John F. Morrall, Neville Cameron, and Al Werner** Determining the capacity of the Canadian trans-mountain highway system 355
- Afifi H. Soliman and Satish C. Sharma** Impact of land use changes on transportation networks 372
- Yvon Ouellet** Etude comparative de différents types d'ouvrages pour lutter contre l'agitation dans une rade portuaire 379
- D. H. Waller** Problems and possibilities in urban drainage 392
- A. Huizer** An evaluation of compression prism, shear bond, and bending bond control tests for clay brick masonry 402
- Franz Knoll** Commentary on the basic philosophy and recent development of safety margins 409
- Denis Beaulieu, Mike Perlynn, Alastair Dunbar, Peter F. Adams, and Douglas Kelker** The effects of column out-of-plumbs on the stability of core-braced buildings 417
- Michel A. Sargious and J. J. Salinas** Selection of optimal policies for airport projects 428
- L. A. Bateman** The Nelson River—an energy source 437
- Michael C. Quick and Anthony Pipes** A combined snowmelt and rainfall runoff model 449

NOTES:

- Michel Sargious and Hammounda Badawy** Mathematical modelling for optimizing bridge costs 461
- D. A. Ross and W. F. Chen** Design criteria for steel I columns under axial and biaxial bending 466

DISCUSSIONS:

- V. Malhotra** Is high-alumina cement a satisfactory structural material?: Discussion 474
- A. M. Neville** Is high-alumina cement a satisfactory structural material?: Reply 476
- R. H. Ferahian** Dynamic evaluation of overturning moment reduction factor used in static seismic loading: Discussion 476
- A. C. Heidebrecht** Dynamic evaluation of overturning moment reduction factor used in static seismic loading: Reply 477

ERRATA:

- A. M. Neville** Erratum: Is high-alumina cement a satisfactory structural material? 478
- Charles R. Neill** Errata: Dynamic ice forces on piers and piles. An assessment of design guidelines in the light of recent research 478

DECEMBER/DECEMBRE

ARTICLES:

- Maher K. Tadros** Design charts for reinforced concrete L-sections 479
- J. G. MacGregor** Safety and limit states design for reinforced concrete 484
- M. N. El-Ghazzi, H. Robinson, and I. A. S. Elkholy** Longitudinal shear capacity of the slabs of composite beams 514
- Baidar Bakht and D. A. Holland** A manual method for the elastic analysis of wide cantilever slabs of linearly varying thickness 523
- L. A. Logan** A computer-aided snowmelt model for augmenting winter streamflow simulation in a southern Ontario drainage basin 531

NOTES:

- J. Penel and T. Kung** Peak runoff simulation in a subarctic region 555
- P. S. Chisholm, H. D. Ayers, W. T. Dickinson, and I. D. Macnab** Effects of altering streambed material size on a specific measure of biological diversity 563
- B. W. Langan and M. A. Ward** A laboratory investigation for potential durability of ready-mixed concrete retempered for air content and workability 570

BOOK REVIEW:

- S. H. Simmonds** Structural design by computer 578

Author Index

581

Contents of Volume 3

v

